

Kutcher Adolescent Depression Scale (11-Item)

Over the last week, how have you been "on average" or "usually" regarding the following items:

1. low mood, sadness, feeling blah or down, depressed, just can't be bothered.
 - a) hardly ever
 - b) much of the time
 - c) most of the time
 - d) all of the time
2. irritable, loosing your temper easily, feeling pissed off, loosing it.
 - a) hardly ever
 - b) much of the time
 - c) most of the time
 - d) all of the time
3. sleep difficulties - different from your usual (over the years before you got sick): trouble falling asleep, lying awake in bed.
 - a) hardly ever
 - b) much of the time
 - c) most of the time
 - d) all of the time
4. feeling decreased interest in: hanging out with friends; being with your best friend; being with your boyfriend/girlfriend; going out of the house; doing school work or work; doing hobbies or sports or recreation.
 - a) hardly ever
 - b) much of the time
 - c) most of the time
 - d) all of the time
5. feelings of worthlessness, hopelessness, letting people down, not being a good person.
 - a) hardly ever
 - b) much of the time
 - c) most of the time
 - d) all of the time
6. feeling tired, feeling fatigued, low in energy, hard to get motivated, have to push to get things done, want to rest or lie down a lot.
 - a) hardly ever
 - b) much of the time
 - c) most of the time
 - d) all of the time
7. trouble concentrating, can't keep your mind on schoolwork or work, daydreaming when you should be working, hard to focus when reading, getting "bored" with work or school.
 - a) hardly ever
 - b) much of the time
 - c) most of the time
 - d) all of the time
8. feeling that life is not very much fun, not feeling good when usually (before getting sick) would feel good, not getting as much pleasure from fun things as usual (before getting sick).
 - a) hardly ever
 - b) much of the time
 - c) most of the time
 - d) all of the time
9. feeling worried, nervous, panicky, tense, keyed up, anxious.
 - a) hardly ever
 - b) much of the time
 - c) most of the time
 - d) all of the time
10. physical feelings of worry like: headaches, butterflies, nausea, tingling, restlessness, diarrhea, shakes or tremors.
 - a) hardly ever
 - b) much of the time
 - c) most of the time
 - d) all of the time
11. Thoughts, plans or actions about suicide or self-harm.
 - a) no thoughts or plans or actions
 - b) occasional thoughts, no plans or actions
 - c) frequent thoughts, no plans or actions
 - d) plans and/or actions that have hurt

LIMITED PHOTOCOPY LICENSE: These materials are intended for use only by qualified professionals.

The Publisher grants to individual subscribers of this periodical nonassignable permission to reproduce the scales herein. This license is limited to you, the individual purchaser, for use with your own clients or students. It does not extend to additional professionals in your institution, school district, or other setting, nor does purchase by an institution constitute a site license. This license does not grant the right to reproduce these materials for resale, redistribution, or any other purposes (including but not limited to books, pamphlets, articles, video- or audiotapes, and handouts or slides for lectures or workshops). Permission to reproduce these materials for these and any other purposes must be obtained in writing from the Permissions Department of Guilford Publications.